

(g) the full-length coding sequence of the cDNA deposited under ATCC accession number 203581.

23. (New) The isolated nucleic acid of Claim 22 having at least 85% nucleic acid sequence identity to:

- (a) a nucleic acid sequence encoding the polypeptide shown in Figure 2 (SEQ ID NO:2);
- (b) a nucleic acid sequence encoding the polypeptide shown in Figure 2 (SEQ ID NO:2), lacking its associated signal peptide;
- (c) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 2 (SEQ ID NO:2);
- (d) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 2 (SEQ ID NO:2), lacking its associated signal peptide;
- (e) the nucleic acid sequence shown in Figure 1 (SEQ ID NO:1);
- (f) the full-length coding sequence of the nucleic acid sequence shown in Figure 1 (SEQ ID NO:1); or
- (g) the full-length coding sequence of the cDNA deposited under ATCC accession number 203581.

24. (New) The isolated nucleic acid of Claim 22 having at least 90% nucleic acid sequence identity to:

- (a) a nucleic acid sequence encoding the polypeptide shown in Figure 2 (SEQ ID NO:2);
- (b) a nucleic acid sequence encoding the polypeptide shown in Figure 2 (SEQ ID NO:2), lacking its associated signal peptide;
- (c) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 2 (SEQ ID NO:2);
- (d) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 2 (SEQ ID NO:2), lacking its associated signal peptide;

- (e) the nucleic acid sequence shown in Figure 1 (SEQ ID NO:1);
- (f) the full-length coding sequence of the nucleic acid sequence shown in Figure 1 (SEQ ID NO:1); or
- (g) the full-length coding sequence of the cDNA deposited under ATCC accession number 203581.

25. (New) The isolated nucleic acid of Claim 22 having at least 95% nucleic acid sequence identity to:

- (a) a nucleic acid sequence encoding the polypeptide shown in Figure 2 (SEQ ID NO:2);
- (b) a nucleic acid sequence encoding the polypeptide shown in Figure 2 (SEQ ID NO:2), lacking its associated signal peptide;
- (c) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 2 (SEQ ID NO:2);
- (d) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 2 (SEQ ID NO:2), lacking its associated signal peptide;
- (e) the nucleic acid sequence shown in Figure 1 (SEQ ID NO:1);
- (f) the full-length coding sequence of the nucleic acid sequence shown in Figure 1 (SEQ ID NO:1); or
- (g) the full-length coding sequence of the cDNA deposited under ATCC accession number 203581.

26. (New) The isolated nucleic acid of Claim 22 having at least 99% nucleic acid sequence identity to:

- (a) a nucleic acid sequence encoding the polypeptide shown in Figure 2 (SEQ ID NO:2);
- (b) a nucleic acid sequence encoding the polypeptide shown in Figure 2 (SEQ ID NO:2), lacking its associated signal peptide;
- (c) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown

in Figure 2 (SEQ ID NO:2);

(d) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 2 (SEQ ID NO:2), lacking its associated signal peptide;

(e) the nucleic acid sequence shown in Figure 1 (SEQ ID NO:1);

(f) the full-length coding sequence of the nucleic acid sequence shown in Figure 1 (SEQ ID NO:1); or

(g) the full-length coding sequence of the cDNA deposited under ATCC accession number 203581.

27. (New) An isolated nucleic acid comprising:

(a) a nucleic acid sequence encoding the polypeptide shown in Figure 2 (SEQ ID NO:2);

(b) a nucleic acid sequence encoding the polypeptide shown in Figure 2 (SEQ ID NO:2), lacking its associated signal peptide;

(c) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 2 (SEQ ID NO:2);

(d) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 2 (SEQ ID NO:2), lacking its associated signal peptide;

(e) the nucleic acid sequence shown in Figure 1 (SEQ ID NO:1);

(f) the full-length coding sequence of the nucleic acid sequence shown in Figure 1 (SEQ ID NO:1); or

(g) the full-length coding sequence of the cDNA deposited under ATCC accession number 203581.

28. (New) The isolated nucleic acid of Claim 27 comprising a nucleic acid sequence encoding the polypeptide shown in Figure 2 (SEQ ID NO:2).

29. (New) The isolated nucleic acid of Claim 27 comprising a nucleic acid sequence encoding the polypeptide shown in Figure 2 (SEQ ID NO:2), lacking its associated signal peptide.

30. (New) The isolated nucleic acid of Claim 27 comprising a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 2 (SEQ ID NO:2).

31. (New) The isolated nucleic acid of Claim 27 comprising a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 2 (SEQ ID NO:2), lacking its associated signal peptide.

32. (New) The isolated nucleic acid of Claim 27 comprising the nucleic acid sequence shown in Figure 1 (SEQ ID NO:1).

33. (New) The isolated nucleic acid of Claim 27 comprising the full-length coding sequence of the nucleic acid sequence shown in Figure 1 (SEQ ID NO:1).

34. (New) The isolated nucleic acid of Claim 27 comprising the full-length coding sequence of the cDNA deposited under ATCC accession number 203581.

35. (New) An isolated nucleic acid that hybridizes to:

- (a) a nucleic acid sequence encoding the polypeptide shown in Figure 2 (SEQ ID NO:2);
- (b) a nucleic acid sequence encoding the polypeptide shown in Figure 2 (SEQ ID NO:2), lacking its associated signal peptide;
- (c) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 2 (SEQ ID NO:2);
- (d) a nucleic acid sequence encoding the extracellular domain of the polypeptide shown in Figure 2 (SEQ ID NO:2), lacking its associated signal peptide;

- (e) the nucleic acid sequence shown in Figure 1 (SEQ ID NO:1);
- (f) the full-length coding sequence of the nucleic acid sequence shown in Figure 1 (SEQ ID NO:1); or
- (g) the full-length coding sequence of the cDNA deposited under ATCC accession number 203581.

36. (New) The isolated nucleic acid of Claim 35, wherein said hybridization occurs under stringent conditions.

37. (New) The isolated nucleic acid of Claim 35 which is at least 10 nucleotides in length.

38. (New) A vector comprising the nucleic acid of Claim 22.

39. (New) The vector of Claim 38, wherein said nucleic acid is operably linked to control sequences recognized by a host cell transformed with the vector.

40. (New) A host cell comprising the vector of Claim 38.

41. (New) The host cell of Claim 40, wherein said cell is a CHO cell, an *E. coli* or a yeast cell.--